



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Page 1/9

Issue date 08/01/2018 Reviewed on 08/01/2018

1 Identification

- · Product identifier
- · Trade name: Arctic Alumina

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Product description Ceramic Thermal Compound
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Arctic Silver Incorporated

9826 West Legacy Ave.

Visalia, CA 93291 USA

Voice: 559.740.0912 Fax: 559.740.0913

infoas@arcticsilver.com

www.arcticsilver.com

· Emergency telephone number:

Rocky Mountain Poison Control

Toll Free: 877-740-5015 Alternate: 303-739-1110

2 Hazard(s) identification

· Classification of the substance or mixture



GHS09 Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aguatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

Eye Irrit. 2B H320 Causes eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS09

- · Signal word Warning
- · Hazard statements

Causes eye irritation.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

· Precautionary statements

Avoid release to the environment.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Collect spillage.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Unknown acute toxicity:

11 percent of the mixture consists of ingredient(s) of unknown toxicity.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/01/2018 Reviewed on 08/01/2018

Trade name: Arctic Alumina

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



 \Box Health = 1 Fire = 1

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- Dangerous Components:

CAS: 1314-13-2 Zinc Oxide 55-65%

RTECS: ZH 4810000 �Aquatic Acute 1, H400; Aquatic Chronic 1, H410

CAS: 10043-11-5 Boron Nitride <3-8%

Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320

CAS: 1344-28-1 Aluminum Oxide <5%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Generally the product does not irritate the skin.

Repeated and prolonged skin contact could cause minor skin irritation.

· After eve contact:

If eye irritation occurs, consult a doctor.

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use firefighting measures that suit the environment.

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/01/2018 Reviewed on 08/01/2018

Trade name: Arctic Alumina

· Advice for firefighters

· Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

KEEP OUT OF REACH OF CHILDREN! Avoid prolonged or repeated skin contact. Avoid breathing vapors. Do not incinerate or burn containers. Always replace overcap when not in use. Avoid use around open flames and other sources of ignition. Use only with adequate ventilation, opening doors or windows to achieve crossventilation. Ensure that all equipment is grounded to prevent static discharge. Containers of this material may be hazardous when emptied due to solid or vapor residue. Wash hands after use. Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool, dry place.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/01/2018 Reviewed on 08/01/2018

Trade name: Arctic Alumina

Avoid contact with the eyes.

Breathing equipment: Not required.
Protection of hands: Not required.

· Eye protection:

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Grease White Odor: Slight

Odor threshold: Not determined.pH-value: Not determined.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:Not determined.
2980 °C (5396 °F)⋅ Flash point:> 316 °C (> 601 °F)

Flammability (solid, gaseous): Not applicable.

· Ignition temperature:

Decomposition temperature: Not determined.

· Auto igniting: Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.Upper: Not determined.Vapor pressure: Not determined.

- **Density** @ **20** °**C** (**68** °**F**): 1.5-1.7 g/cm³ (12.518-14.18 lbs/gal)

Relative density
Vapor density
Evaporation rate
Not determined.
Not determined.

· Solubility in / Miscibility with

Vater: 2 %

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 0.0 %

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/01/2018 Reviewed on 08/01/2018

Trade name: Arctic Alumina

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong acids, strong bases, strong oxidizing agents and strong reducing agents.
- · Hazardous decomposition products:

Reacts with acids and alkalis to form combustible hydrogen gas.

Carbon monoxide

Carbon dioxide

Nitrogen oxides (NOx)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

1314-13-2 Zinc Oxide

Oral LD50 > 5000 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritating effect.
- · on the eye: Irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/01/2018 Reviewed on 08/01/2018

Trade name: Arctic Alumina

- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT · ADR, IMDG, IATA

· UN proper shipping name

· DOT

· ADR

· IMDG

· IATA

Non-Regulated Material

UN3082

Non-Regulated Material

UN3082 Environmentally hazardous substances, liquid, n.o.s.

(Zinc Oxide)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID.

N.O.S. (Zinc Oxide), MARINE POLLUTANT

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Zinc Oxide)

· Transport hazard class(es)

· DOT

· Class

Non-Regulated Material

· ADR



· Class

· Label

· IMDG, IATA



- · Class
- · Label

9 Miscellaneous dangerous substances and articles

9 (M6) Miscellaneous dangerous substances and articles

9



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/01/2018 Reviewed on 08/01/2018

Trade name: Arctic Alumina

· Packing group

· **DOT** Non-Regulated Material

· ADR, IMDG, IATA

• Environmental hazards: Product contains environmentally hazardous substances: Zinc

Oxide

Special marking (ADR):
 Special marking (IATA):
 Symbol (fish and tree)
 Symbol (fish and tree)

Special precautions for user
 Warning: Miscellaneous dangerous substances and articles

Danger code (Kemler):EMS Number:90F-A,S-F

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

· Excepted quantities (EQ) Code: E1

· IMDG

· Limited quantities (LQ) 5L

• Excepted quantities (EQ) Code: E1

· UN "Model Regulation": UN3082, Environmentally hazardous substances, liquid, n.o.s.

(Zinc Oxide), 9, III

* 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

1314-13-2 Zinc Oxide

1344-28-1 Aluminum Oxide

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · California Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/01/2018 Reviewed on 08/01/2018

Trade name: Arctic Alumina

· Carcinogenic categories

· EPA (Environmental Protection Agency)

1314-13-2 Zinc Oxide 10043-11-5 Boron Nitride D, I, II

I (oral)

· TLV (Threshold Limit Value established by ACGIH)

1344-28-1 Aluminum Oxide

Α4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS09

· Signal word Warning

· Hazard statements

Causes eye irritation.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

· Precautionary statements

Avoid release to the environment.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Collect spillage.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· State Right to Know

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 06/04/2015 / 3

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/01/2018 Reviewed on 08/01/2018

Trade name: Arctic Alumina

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
Aquatic Acute 1: Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

* Data compared to the previous version altered.